

# TECHNICAL DATASHEET



## Eyevex Hand protection Model: SGNN 901

### **Glove description:**

15 gauges nylon liner, Ultra-lightweight nano foam Nitrile palm coating.

This glove is a personal protective equipment belonging to the Category II.
It meets the requirements of Directive 89/686/CEE: innocuousness, comfort, solidity.

### **CE type Examinations:**

- C.T.C. (0075)
- 4, rue Herman Frenkel
- 69367 LYON Cedex 07
- FRANCE

#### **Applicable Standards:**

The glove meets the requirements of the standard EN420 (General requirements for work glove), Dexterity: 5



#### Moreover, this glove has been designed for the following applications:

#### **Application:**

Mechanical hazard-EN 388



Leve						
T days	sile i	∧# I	rar	fin.n	<b>55.3</b>	220

Abrasion resistance	4	On 4 maxi
Blade Cut resistance	1	On 4 maxi
Tear resistance	3	On 4 maxi
Puncture resistance	1	On 4 maxi
Cut resistance method (EN ISO 13997)	Х	A to F
Impact protection		

(X) means that the test hasn't been performed; no protection is required.

#### **Protection limit:**

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are all valid for the palm of the glove. The levels are only valid for new gloves, not washed, nor regenerated. These levels or performance are obtained from the tests done according to the conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Made in China